



SIGHTRON SIII 6-24x50 SCOPES



KEY FEATURES:

SIII Series One-Piece Main-Tube



All scopes in the SIII series feature a 30mm one-piece Main-Tube made from high quality Aircraft aluminum. Tube thickness is more than twice as thick as one inch models to provide maximum rigidity. All models are fog proof, shockproof and waterproof.

All Weather Construction

This scope features the ultimate in all weather construction. They are waterproof, nitrogen filled and provide a lifetime of internal fog protection for inclement weather.

Fast Focus Eyeball



A European style fast focus eyeball accompanies all SIII SS Long Range Models. A quick turn of the eye bell allows the user to focus in a matter of seconds. Tweaking the eye focus is just a small adjustment away.

ExacTrack



This scope features Sightron's unique ExacTrack windage and elevation adjustment system. No other system on the market comes closest to the precision and performance of ExacTrack.

SIII SS LR Target Knobs 1/4 MOA / 100MOA range



Large oversize target knobs with 1/4 inch adjustments are standard on all models. All models feature target knobs that are re-settable to zero. All target knobs are protected by large heavy windage and elevation caps.

Side Focus System



Side Parallax focus is available on all SIIB SS models and SIII SS LR Series Riflescopes. Designed for ease of use in prone and bench shooting the side focus will focus from 10-40 yards to infinity depending on the specific model.

ZACT-7 Revcoat Multi-Coating

All Sightron SIII LR Series Riflescopes feature ZACT-7 seven layer multi-coating with precision ground glass. These lenses provide superior light transmission and resolution for the ultimate in performance.



Sightron offers a Lifetime Warranty. To order Call 780-962-3395 or email sales@rpsinternational.com





RETICLE:

LR D (LONG RANGE – DOT)

SIII SS 6-24x50 LR D TECHNICAL INFORMATION

Name	SIISS624x50 LR D
Magnification	6-24x
Object Diameter	50
Eye Relief	3.6-3.8
Reticle Type	Dot
Click Value	1/4 MOA
Fov	16.1-3.9
Length	14.96
Tube Diameter	30mm
Windage Elevation Travel	100
Weight	21.9
Finish	Matte Black
Minutes Per Revolution	15
Target Knobs	Yes
Sunshade Included	Yes
Adjustable Objective	Side Focus (50yds to infinity)
Fully Multi Coated	Yes (Zact-7 TM 7-Layer)



Other Models Available:

3.5-10x56, 3.5-10x44, 8-32x56, and 10-50x60mm

Fixed Powers: 10x42, 16x42 and 20x42







RETICLE:

LR MD (LONG RANGE – Mil-Dot)

SIIS SS 6-24x50 LR MD TECHNICAL INFORMATION

Name	SIIS624x50 LR MD
Magnification	6-24x
Object Diameter	50
Eye Relief	3.6-3.8
Reticle Type	Mil-Dot
Click Value	1/4 MOA
Fov	16.1-3.9
Length	14.96
Tube Diameter	30mm
Windage Elevation Travel	100
Weight	21.9
Finish	Matte Black
Minutes Per Revolution	15
Target Knobs	Yes
Sunshade Included	Yes
Adjustable Objective	Side Focus (50yds to infinity)
Fully Multi Coated	Yes (Zact-7 TM 7-Layer)



Other Models Available:

3.5-10x56, 3.5-10x44, 8-32x56, and 10-50x60mm

Fixed Powers: 10x42, 16x42 and 20x42

